

## Gypsy and Traveller Site Options Response Form 2013

For Official Use Only

Ref:



Rep. Ref.

Please use this form if you wish to comment on the Gypsy and Traveller Site Options.

**If you are commenting on multiple sites you will need to complete a separate copy of Part B of this form for each representation.**

This form may be photocopied or, alternatively, extra forms can be obtained from the Council's offices or places where the consultation documents have been made available (see back page). You can also respond online using the LDF Consultation System, visit: [www.warwickdc.gov.uk/newlocalplan](http://www.warwickdc.gov.uk/newlocalplan)

### Part A - Personal Details

	1. Personal Details	2. Agent's Details (if applicable)
Title	<i>Mr</i>	
First Name	<i>MATTHEW</i>	
Last Name	<i>WATSON</i>	
Job Title (where relevant)		
Organisation (where relevant)		
Address Line 1		
Address Line 2		
Address Line 3		
Address Line 4		
Postcode		
Telephone number		
Email address		
Would you like to be made aware of future consultations on Gypsy Traveller sites?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
About You: Gender	<i>MALE</i>	
Ethnic Origin		
Age	<input type="checkbox"/> Under 16	<input type="checkbox"/> 16 - 24
	<input type="checkbox"/> 45 - 54	<input type="checkbox"/> 55 - 64
		<input type="checkbox"/> 25 - 34
		<input checked="" type="checkbox"/> 35 - 44
Where did you hear about this consultation e.g. radio, newspaper, word of mouth, exhibitions, bin hanger?	<i>WORD OF MOUTH</i>	

# Part B - Commenting on the Gypsy and Traveller Site Options

If you are commenting on multiple sites you will need to complete a separate sheet for each representation

Sheet  of

The policy in the Draft Local Plan will list the criteria by which Gypsy and Traveller sites will be judged for suitability and sustainability. These are the criteria:

- Convenient access to a GP surgery, school and public transport;
- Avoiding areas with a high risk of flooding;
- Safe access to the road network and provision for parking, turning and servicing on site;
- Avoiding areas where there is the potential for noise and other disturbance;
- Provision of utilities (running water, toilet facilities, waste disposal, etc);
- Avoiding areas where there could be adverse impact on important features of the natural and historic environment; and,
- Sites which can be integrated into the landscape without harming the character of the area.
- Promotes peaceful and integrated co-existence between the site and the local community;
- Avoids placing undue pressure on local infrastructure and services;
- Reflects the extent to which traditional lifestyles (whereby some travellers live and work from the same location thereby omitting many travel to work journeys) can contribute to sustainability.

Please give your views about site suitability below with reference to this list of criteria.

Which site are you responding to?

(e.g. GT01 - Land adj. to the Cobalt Centre, Siskin Drive)

GT03 - LAND AT BARNWELL FARM

What is the nature of your representation?

Support

Object

Comment

Please set out full details of your objection or representation of support with reference to the criteria above.

My Main Reason for Objection here is to do with over capacity of both the local primary school and GP surgery.

Currently Harbury School is over capacity with the last years intake needing to be divided into

For Official Use Only

Ref:

Rep. Ref.



## Part B - Commenting on the Gypsy and Traveller Site Options

If you are commenting on multiple sites you will need to complete a separate sheet for each representation

Sheet  of

Do you have any other suggestions for land within this district that you think would be suitable for use as a Gypsy and Traveller site, bearing in mind the criteria for site identification? If so, please give the location and the land owner's details below:

Five groups, as the sizes are too large.  
with the expansion of the village with the  
addition of another 14 odd family homes this  
pressure is going to increase from within.  
The same premises are on the local  
GP surgery which again has no capacity  
for extra people.

For Official Use Only

Ref:

Rep. Ref.

## Part B - Commenting on the Gypsy and Traveller Site Options

If you are commenting on multiple sites you will need to complete a separate sheet for each representation

Sheet  of

The policy in the Draft Local Plan will list the criteria by which Gypsy and Traveller sites will be judged for suitability and sustainability. These are the criteria:

- Convenient access to a GP surgery, school and public transport;
- Avoiding areas with a high risk of flooding;
- Safe access to the road network and provision for parking, turning and servicing on site;
- Avoiding areas where there is the potential for noise and other disturbance;
- Provision of utilities (running water, toilet facilities, waste disposal, etc);
- Avoiding areas where there could be adverse impact on important features of the natural and historic environment; and,
- Sites which can be integrated into the landscape without harming the character of the area.
- Promotes peaceful and integrated co-existence between the site and the local community;
- Avoids placing undue pressure on local infrastructure and services;
- Reflects the extent to which traditional lifestyles (whereby some travellers live and work from the same location thereby omitting many travel to work journeys) can contribute to sustainability.

Please give your views about site suitability below with reference to this list of criteria.

Which site are you responding to?

(e.g. GT01 - Land adj. to the Cobalt Centre, Siskin Drive)

GTO4 - LAND AT HARBURT LANE

What is the nature of your representation?

Support



Object



Comment

Please set out full details of your objection or representation of support with reference to the criteria above.

I Object to the placement of the Gypsy Traveller site at the location above due to current pressures on both the local Primary School (Harbury) and the local GP Surgery

For Official Use Only

Ref:

Rep. Ref.



## Part B - Commenting on the Gypsy and Traveller Site Options

If you are commenting on multiple sites you will need to complete a separate sheet for each representation

Sheet  of

Do you have any other suggestions for land within this district that you think would be suitable for use as a Gypsy and Traveller site, bearing in mind the criteria for site identification? If so, please give the location and the land owner's details below:

Both are currently oversubscribed and not fit to be able to increase their capacity.

There are also pressures from within the village with the building of an additional 14 family homes and plans for more.

For Official Use Only

Ref:

Rep. Ref.

## Guidance on Making Representations

- Please use this response form as it will help the Council to keep accurate and consistent records of all the comments on the Plan, alternatively complete online at [www.warwickdc.gov.uk/newlocalplan](http://www.warwickdc.gov.uk/newlocalplan)
- If you wish to make comments on more than one site, please use a separate copy of Part B of this form for each
- You may withdraw your objection at any time by writing to Warwick District Council, address below
- It is important that you include your name and address as anonymous forms cannot be accepted. If your address details change, please inform us in writing
- All forms should be received by **5.15pm on Monday 29 July 2013**
- Copies of all the objections and supporting representations will be made available for others to see at the Council's offices at Riverside House and online via the Council's e-consultation system. Please note that all comments are in the public domain and the Council cannot accept confidential objections. The information will be held on a database and used to assist with the preparation of the new plan for Gypsy and Traveller sites and with consideration of planning applications in accordance with the Data Protection Act 1998
- To return this form, please drop off at one of the locations below, or post to: **Development Policy Manager, Development Services, Warwick District Council, Riverside House, Milverton Hill, Leamington Spa, CV32 5QH** or email: [newlocalplan@warwickdc.gov.uk](mailto:newlocalplan@warwickdc.gov.uk)

## Where to see copies of the Gypsy and Traveller Site Options

Copies are available for inspection on the Council's web site at [www.warwickdc.gov.uk/newlocalplan](http://www.warwickdc.gov.uk/newlocalplan) and at the following locations:

Location	Opening Times
<b>Warwick District Council Offices</b> Riverside House, Milverton Hill, Royal Leamington Spa	Mon – Thurs 8.45am – 5.15pm Fri 8.45am – 4.45pm
<b>Leamington Town Hall</b> Parade, Royal Leamington Spa	Mon – Thurs 8.45am – 5.15pm Fri 8.45am – 4.45pm
<b>Warwickshire Direct Whitnash</b> Whitnash Library, Franklin Road, Whitnash	Mon – Tues 10.30am – 5.00pm Wed 1.30pm – 5.00pm Thurs Closed Fri 10.30am – 4.00pm Sat 10.30am – 1.30pm
<b>Leamington Spa Library</b> The Pump Rooms, Parade, Royal Leamington Spa	Mon – Weds 9.30am – 6.00pm Thurs 10.00am – 7.00pm Fri 9.30am – 6.00pm Sat 9.30am – 4.30pm Sun 12.00pm – 4.00pm
<b>Warwickshire Direct Warwick</b> Shire Hall, Market Square, Warwick	Mon – Thurs 8.00am – 5.30pm Fri 8.00am – 5.00pm Sat 9.00am – 4.00pm
<b>Warwickshire Direct Kenilworth</b> Kenilworth Library, Smalley Place, Kenilworth	Mon – Tues 9.00am – 5.30pm Wed 10.30am – 5.30pm Thurs – Fri 9.00am – 5.30pm Sat 9.00am – 1.00pm
<b>Warwickshire Direct Lillington</b> Lillington Library, Valley Road, Royal Leamington Spa	Mon 9.30am – 12.30pm & 1.30pm – 6.00pm Tues and Fri 9.30am – 12.30pm & 1.30pm – 5.30pm Weds Closed Thurs 9.30am – 12.30pm & 1.30pm – 7.00pm Sat 9.30am – 12.30pm
<b>Brunswick Healthy Living Centre</b> 98-100 Shrubland Street, Royal Leamington Spa	Mon – Fri 9.00am – 5.00pm
<b>Finham Community Library</b> Finham Green Rd, Finham, Coventry, CV3 6EP	Mon 1.00pm – 7.00pm Tues, Thurs and Fri 9.00am – 7.00pm Sat 9.00am – 4.00pm

Where possible, information can be made available in other formats, including large print, CD and other languages if required. To obtain one of these alternatives, please contact 01926 410410.