



5393

Mr D Barber Development Policy Manager Warwick District Council PO Box 2178 Riverside House Milverton Hill Royal Leamington Spa CV32 5QH

Date: 19 July 2012

HSE Ref.: 4.2.1.1764 Your Ref.: DB/JB



Hazardous Installations Directorate

Gerard Adderley

Chemical Industries Division

2.2 Redgrave Court Merton Road Bootle L20 7HS

Tel: 0151 951 5789 Fax: 0151 951 3629 gerry.adderley@hse.gsi.gov.uk

http://www.hse.gov.uk/

Head of Unit John Murray

Dear Mr Barber

New Local Plan Preferred Options Consultation

Thank you for your letter of 31 May 2012 seeking comments on the Local Plan Preferred Options and the Draft Infrastructure Plan.

The Health and Safety Executive (HSE) is a statutory consultee for certain developments within the consultation distance of major hazard sites and major accident hazard pipelines. Although there are currently no major hazard sites in the Warwick District Council area, there are major accident hazard pipelines in the vicinity of the villages of Radford Semerle, Bishops Tachbrook, Shrewley and Leek Wootton, all of which have been identified as areas for possible development.

Until specific development sites around these villages have been identified, it is not possible to say whether they will lie within the consultation distance of a particular pipeline which would require HSE to be consulted, and what HSE's subsequent advice will be.

Details of the pipelines and the associated consultation distances can be found in the Consultation Zone Library which, along with PADHI+, HSE's on-line decision support software tool, is available to planning authorities through the HSE Extranet website https://extranet.hse.gov.uk/. Several members of staff in Warwick District Council's planning department have access to these services, and when sites are known, they can check if they lie within a consultation distance. If any do, they can then use PADHI+ to see how HSE would advise on a proposed development.

Yours sincerely

